

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	73	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (filter window kernel) near5 (width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 22:25
L3	110	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (filter window kernel) near5 (length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 22:40
L4	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 22:49
S1	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 20:19
S2	4141	382/141-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:48
S3	35	382/141-152.ccls. and (edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:50
S4	1350	(edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/11 21:50
S5	39	(edge near2 detect\$4) with (window kennel) with (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:16
S6	8	(edge near2 detect\$4) with (window kennel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:31

S7	1	sobel near2 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 14:25
S8	1	sobel near2 window near2 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 16:27
S9	40	(edge near3 detect\$4) with (window kennel) with (specif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:04
S10	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:01
S11	210	(edge near3 detect\$4) same (window kennel) same (specif\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:03
S12	0	(edge near3 detect\$4) with (window kennel) with (user near3 specif \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:05
S13	5	(edge near3 detect\$4) same (window kennel) same (user near3 specif \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:21
S14	27650	window near3 (distance separat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:24
S15	10	window near3 (distance separat\$4) near3 (edge near3 detect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:24
S16	10	window near3 (distance separat\$4) near3 ((edge near3 detect\$4) sobel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:55

S17	39677	edge near detect\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 17:55
S18	8346	edge near detect\$4 and (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:01
S19	260	382/141-152.ccls. and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:02
S20	976	382/141-152.ccls. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:02
S21	63	382/141-152.ccls. and window near3 (distance separat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:13
S22	2029314	382/141-152.ccls. and window near4 (distance separat\$4) user4 user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:13
S23	1250	382/141-152.ccls. and (window near4 (distance separat\$4) user4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:14
S24	77	382/141-152.ccls. and (window near4 (distance separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:14
S25	2	382/141-152.ccls. and (window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:57
S26	1265	(window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:58

S27	0	(window near4 (distance separat\$4) near4 user) same ((edge near detect \$4) sobel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:58
S28	16	(window near4 (distance separat\$4) near4 user) and ((edge near detect \$4) sobel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 18:59
S29	1265	(window near4 (distance separat\$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:00
S30	793	(window near4 (distance separat\$4) near4 user) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:00
S31	607	(window near3 (distance separat\$4) near3 user) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:00
S32	374	(window near2 (distance separat\$4) near2 user) and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:01
S33	0	(window near2 (distance separat\$4) near2 user) and ((edge).ti. edge.ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:01
S34	5	((edge) near4 window near4 (distance separat \$4) near4 user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:03
S35	4141	382/141-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:04
S36	149	382/141-152.ccls. and stripe	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:04

S37	976	382/141-152.ccls. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:05
S38	168	382/205.ccls. and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:11
S39	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:15
S40	51	382/205.ccls. and position with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:17
S41	1	382/205.ccls. and position with window with user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/02/12 19:17
S42	8	(edge near2 detect\$4) with (window kernel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:57
S43	2	"3597732".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 18:57
S44	7	("3142818" "3344399"). PN. OR ("3597732"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 19:06
S45	291	382/263.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 19:07
S46	106	382/263.ccls. and (window kernel)	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/31 19:07
S47	106	382/263.ccls. and (window kernel)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 19:09

S48	41	("20020131639" "3597732" "5343390" "5845007" "5875040" "5881171" "6021222" "6094508" "6173083" "6208763" "6229578" "6337925" "6404936" "6415053" "6421469" "6449391" "6453069" "6498660" "6707937"). PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/31 19:09
S49	1012	382/141-152.ccls. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S50	4287	382/141-152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S51	35	382/141-152.ccls. and (edge near2 detect\$4) with (window kennel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S52	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:25
S53	51	382/141-152.ccls. and (detect\$4) near2 edge and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 14:01
S54	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/14 16:30
S55	55	382/141-152.ccls. and (detect\$4) near2 edge and workpiece	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:33
S56	84	382/141-152.ccls. and (window near4 (distance separat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:34

S57	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:34
S58	12	382/205.ccls. and distance with window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:34
S59	78	382/260,263,266.ccls. and (kernel window) near5 (inside internal overlap\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 13:41
S60	78	382/260,263,266.ccls. and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:29
S61	807	382/260,263,266.ccls. and (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S62	194	382/260,263,266.ccls. and (window kernel) near5 set\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S63	174	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S64	141	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/30 17:30
S65	78	382/260,263,266.ccls. and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 09:54
S66	141	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 09:54

S67	78	382/260,263,266.ccls. and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 14:55
S68	141	382/260,263,266.ccls. and (window kernel) near5 set\$4 and edge not S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 14:55
S69	14	("4410278" "4642813" "4947323" "5003615" "5081689" "5189710" "5574800" "5734739" "5737441" "5969273" "5974169" "6094508"). PN. OR ("6621928"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 17:01
S70	107	keyence.as.	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 17:04
S71	39	keyence.as. and edge	US-PGPUB; USPAT; USOCR	OR	ON	2008/05/01 17:05
S72	341	"382"/\$.ccls. and (window kernel) near5 (set setting) and edge near3 (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 17:11
S73	305	"382"/\$.ccls. and (window kernel) near5 (set setting) and edge near3 (window kernel) not S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 17:12
S74	105	"382"/\$.ccls. and (window kernel) near5 (set setting) and edge near3 (window kernel) and (window kernel) near5 (overlap\$4 inside internal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 17:12
S75	2	"20040136588".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/01 22:50
S76	9	(edge near2 detect\$4) with (window kennel) with (user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:19
S77	5005	"382"/\$.ccls. and (kernel window) near3 (equal "same" length width size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:20

S78	472	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:49
S79	332	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width size) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:49
S80	337	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width size height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:52
S81	11	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/03 23:52
S82	69	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (length width) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 00:05
S83	288	"382"/\$.ccls. and (kernel window) near3 (equal "same") near3 (size) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 01:02
S84	222	"382"/\$.ccls. and (kernel window) near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 01:15
S85	52	"382"/\$.ccls. and (kernel window) near3 (height) same edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 01:17
S86	74	(kernel window) near3 (equal "same") near3 (height) and edge and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 11:04
S87	74	(kernel window) near3 (equal "same") near3 (height) and edge and image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 12:42

S88	222	"382"/\$.ccls. and (kernel window) near3 (height) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 12:52
S89	180	"382"/\$.ccls. and (kernel window) same (height) same edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 12:53
S90	4	("6021222" "5475766"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 13:33
S91	290	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:35
S92	39	"382"/\$.ccls. and (operator user) with (select set\$4 assign\$4 choos\$3) with (window) with (distance between displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:41
S93	151	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:41
S94	1	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) near3 (distance between space separat\$3 displac\$5) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:45
S95	3	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) with (distance between space separat\$3 displac\$5) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:46
S96	2588	keyence.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:50

S97	107	keyence.as. and window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 15:50
S98	151	"382"/\$.ccls. and (operator user) near3 (select set\$4 assign\$4 choos\$3) near3 (window kernel) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:08
S99	2	"382"/\$.ccls. and (operator user) near5 (select set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5) and edge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:34
S100	8	"382"/\$.ccls. and (operator user) near5 (select set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:38
S101	25	"382"/\$.ccls. and (operator user) near5 (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:40
S102	66	alex near liew	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:43
S103	62	382/254-275.ccls. and window near3 (distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:52
S104	1	382/254-275.ccls. and (user operator person individual) near3 window near3 (distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 16:52

S105	5	"382"/254-275.ccls. and (operator user) near5 (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:14
S106	0	"382"/\$.ccls. and classfier and edge and populate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:16
S107	0	"382"/\$.ccls. and classfier and edge and population	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:17
S108	0	"382"/\$.ccls. and classfier and edge and populat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:17
S109	3	"382"/\$.ccls. and classf\$7 and edge and populat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:19
S110	2	"20040146201".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:23
S111	103	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:24
S112	980	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:25
S113	146	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5 length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:25

S114	4	"382"/124-127.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (window kernel) near5 (distance between space separat\$3 displac\$5 length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:28
S115	367	"382"/254-275.ccls. and (readjust\$4 adjust\$4 select\$4 set\$4 assign\$4 choos\$3) near5 (filter window kernel) near5 (distance between space separat\$3 displac\$5 length height width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:29
S116	33	"382"/\$.ccls. and (operator user) with (select set\$4 assign\$4 choos\$3) with (filter) with (distance between displac \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:30
S117	4	("6021222" "5475766"). pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:37
S118	83	"382"/\$.ccls. and (user operator) near3 (window filter) near3 parameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:40
S119	492	"382"/\$.ccls. and plurality near3 (window) and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:45
S120	54	"382"/254-275.ccls. and plurality near3 (window) and user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:45
S121	7	"382"/254-275.ccls. and plurality near3 (window) same user	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:45
S122	26	"382"/254-275.ccls. and edge near3 (detect\$4 calculat\$4 comput\$4) same (window) same (user operator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:47

S123	0	(user operatr) near3 (adjust\$4) near3 (distance) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S124	0	(user operator) near3 (adjust\$4) near3 (distance) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S125	898	(user operator) near3 (adjust\$4) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S126	53	"382"/\$.ccls. and (user operator) near3 (adjust \$4) near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 19:53
S127	32	"382"/\$.ccls. and (operator user) near3 plac \$4 near3 window	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/04 20:07

12/ 4/ 2008 11:15:33 PM

C:\Documents and Settings\aliew1\My Documents\EAST\Workspaces\10689755.wsp